Contents

Number 1 January 1993

1 MAJOR REVIEW
Structural models of primary cell walls in flowering plants: consistency of molecular structure with the physical properties of the walls during growth. *N.C. Carpita and D.M. Gibeaut*

31 MINI-REVIEW
Plant chitinases. *D.B. Collinge, K.M. Kragh, J.D. Mikkelsen, K.K. Nielsen, U. Rasmussen and K. Vad*

41 **Isolation and characterization of male flower cDNAs from maize.** *S.Y. Wright, M.-M. Suner, P.J. Bell, M. Vaudin and A.J. Greenland*

51 **Expression of *myb*-related genes in the moss, *Physcomitrella patens*.** *M.J. Leech, W. Kammerer, D.J. Cove, C. Martin and T.L. Wang*

63 **Purification and characterization of elicitor-induced lipoxygenase in tobacco cells.** *J. Fournier, M.-L. Pouénat, M. Rickauer, H. Rabinovitch-Chable, M. Rigaud and M.-T. Esquerré-Tugayé*

71 **Induction of the tobacco *PR-1a* gene by virus infection and salicylate treatment involves an interaction between multiple regulatory elements.** *M.D. van de Rhee and J.F. Bol*

83 **Mechanosensory calcium-selective cation channels in epidermal cells.** *J.P. Ding and B.G. Pickard*

111 **Gametophytic and sporophytic expression of an anther-specific *Arabidopsis thaliana* gene.** *M.R. Roberts, G.D. Foster, R.P. Blundell, S.W. Robinson, A. Kumar, J. Draper and R. Scott*

121 **Antisense inhibition of pectin esterase gene expression in transgenic tomatoes.** *L.N. Hall, G.A. Tucker, C.J.S. Smith, C.F. Watson, G.B. Seymour, Y. Bundick, J.M. Boniwell, J.D. Fletcher, J.A. Ray, W. Schuch, C.R. Bird and D. Grierson*

131 **Characterization and mapping of a gene controlling shoot regeneration in tomato.** *M. Koornneef, J. Bade, C. Hanhart, K. Horsman, J. Schel, W. Soppe, R. Verkerk and P. Zabel*

143 **Molecular characterization of a 70 kDa heat-shock protein of bean mitochondria.** *V. Vidal, B. Ranty, M. Dillenschneider, M. Charpenteau and R. Ranjeva*

151 **Characterization of cDNAs for stylar transmitting tissue-specific proline-rich proteins in tobacco.** *A.Y. Cheung, B. May, E.E. Kawata, Q. Gu and H.-M. Wu*

161 **Promoter and leader regions involved in the expression of the *Arabidopsis* ferredoxin A gene.** *T. Caspar and P.H. Quail*

175 TECHNICAL ADVANCE
PCR-amplified microsatellites as markers in plant genetics. *M. Morgante and A.M. Olivieri*

183 TECHNICAL ADVANCE
Detection of point mutations in the chloroplast genome by single-stranded conformation polymorphism analysis. *K.-Y. To, C.-I. Liu, S.-T. Liu and Y.-S. Chang*

187 TECHNICAL ADVANCE
Accurate transcription initiation of *Vicia faba* rDNA in a whole cell extract from embryogenic axes. *J. Yamashita, T. Nakajima, S. Tanifuji and A. Kato*

Number 2 February 1993

191 **Isolation of an asparagus intracellular *PR* gene (*AoPR1*) wound-responsive promoter by the inverse polymerase chain reaction and its characterization in transgenic tobacco.** *S.A.J. Warner, R. Scott and J. Draper*

203 **Stress induction and developmental regulation of a rice chitinase promoter in transgenic tobacco.** *Q. Zhu, P.W. Doerner and C.J. Lamb*

213 **Light-regulated and endogenous fluctuations of chloroplast transcript levels in *Chlamydomonas*. Regulation by transcription and RNA degradation.** *M.L. Salvador, U. Klein and L. Bogorad*

221 **Repression of the high-methionine zein gene in the maize inbred line Mo17.** *H. Schickler, M.S. Benner and J. Messing*

231 **Analysis of the role of the late-flowering locus, *GI*, in the flowering of *Arabidopsis thaliana*.** *T. Araki and Y. Komeda*

241 **A wheat histone H3 promoter confers cell division-dependent and -independent expression of the *gus A* gene in transgenic rice plants.** *R. Terada, T. Nakayama, M. Iwabuchi and K. Shimamoto*

253 **Co-assembly properties of higher plant microtubule-associated proteins with purified brain and plant tubulins.** *P. Schellenbaum, M. Vantard, C. Peter, A. Fellous and A.-M. Lambert*

261 **Molecular characterization of one of the maize polygalacturonase gene family members which are expressed during late pollen development.** *R.L. Allen and D.M. Lonsdale*

273 TECHNICAL ADVANCE
A versatile system for detecting transposition in *Arabidopsis*. *N.V. Fedoroff and D.L. Smith*

291 TECHNICAL ADVANCE
Proembyro culture: *in vitro* development of early globular-stage zygotic embryos from *Brassica juncea*. *C.-M. Liu, Z.-H. Xu and N.-H. Chua*

SPECIAL SEB SECTION

301 INTRODUCTION
The use of mutants to study plant metabolism and development. *C. Martin*

303 KEYNOTE LECTURE
Mutant analysis, a key tool for the study of metabolism and development. *D.J. Cove*

309 REVIEW
The role of mutant cell lines in studies on environmental stress tolerance: an assessment. *P.J. Dix*

315 **Regulation of nitrate and nitrite reductase expression in *Nicotiana plumbaginifolia* leaves by nitrogen and carbon metabolites.** *M. Vincentz, T. Moureaux, M.-T. Leydecker, H. Vaucheret and M. Caboche*

325 **The accumulation of zein polypeptides and zein mRNA in cultured endosperms of maize is modulated by nitrogen supply.** *C. Balconi, E. Rizzi, M. Motto, F. Salamini and R. Thompson*

335 **Molecular homology among members of the *R* gene family in maize.** *G. Consonni, F. Geuna, G. Gavazzi and C. Tonelli*

347 **Mutational analysis of morphogenesis of the maize embryo.** *W.F. Sheridan and J.K. Clark*

359 **Erratum concerning Volume 2, Number 6, November 1992, pages 863–874, Parokonny *et al.***

Number 3 March 1993

361 **Editorial**

363 MINI-REVIEW
A repeating 11-mer amino acid motif and plant desiccation. *L. Dure III*

371 **Hormonal content and sensitivity of transgenic tobacco and potato plants expressing single *rol* genes of *Agrobacterium rhizogenes* T-DNA.** *T. Schmülling, M. Fladung, K. Grossmann and J. Schell*

383 **The 20 kDa apoprotein of the CP24 complex of photosystem II: an alternative model to study import and intra-organellar routing of nuclear-encoded thylakoid proteins.** *D. Cai, R.G. Herrmann and R.B. Klösgen*

393 **Expression of maize *Adh1* intron mutants in tobacco nuclei.** *H. Lou, A.J. McCullough and M.A. Schuler*

405 **Multiple functions of promoter sequences involved in organ-specific expression and ammonia regulation of a cytosolic soybean glutamine synthetase gene in transgenic *Lotus corniculatus*.** *M.-C. Marsolier, E. Carrayol and B. Hirel*

415 **Purification, characterization, and cell wall localization of an α-fucosidase that inactivates a xyloglucan oligosaccharin.** *C. Augur, N. Benhamou, A. Darvill and P. Albersheim*

427 **A non-specific lipid transfer protein from *Arabidopsis* is a cell wall protein.** *S. Thoma, Y. Kaneko and C. Somerville*

437 **The pea plastocyanin promoter directs cell-specific but not full light-regulated expression in transgenic tobacco plants.** *K.-H. Pwee and J.C. Gray*

451 **Receptor-like protein kinase genes of *Arabidopsis thaliana*.** *J.C. Walker*

457 **Expression of the α-thionin gene from barley in tobacco confers enhanced resistance to bacterial pathogens.** *M.J. Carmona, A. Molina, J.A. Fernández, J.J. López-Fando and F. García-Olmedo*

463 **Induction of ferredoxin-NADP$^+$ oxidoreductase and ferredoxin synthesis in pea root plastids during nitrate assimilation.** *C.G. Bowsher, D.P. Hucklesby and M.J. Emes*

469 **Altered fruit ripening and leaf senescence in tomatoes expressing an antisense ethylene-forming enzyme transgene.** *S. Picton, S.L. Barton, M. Bouzayen, A.J. Hamilton and D. Grierson*

483 **Conserved regulation of the soybean early nodulin *ENOD2* gene promoter in determinate and indeterminate transgenic root nodules.** *P. Lauridsen, H. Franssen, J. Stougaard, T. Bisseling and K.A. Marcker*

493 TECHNICAL ADVANCE
Alkali treatment for rapid preparation of plant material for reliable PCR analysis. *V.I. Klimyuk, B.J. Carroll, C.M. Thomas and J.D.G. Jones*

Number 4 April 1993

495 **Inflorescence-specific genes from *Arabidopsis thaliana* encoding glycine-rich proteins.** *D.E. de Oliveira, L.O. Franco, C. Simoens, J. Seurinck, J. Coppieters, J. Botterman and M. Van Montagu*

509 **Analysis of three tissue-specific elements from the wheat *Cab-1* enhancer.** *C. Gotor, L.C. Romero, K. Inouye and E. Lam*

519 **A mutation causing variegation and abnormal development in tobacco is associated with an altered mitochondrial DNA.** *H.T. Bonnett, I. Djurberg, M. Fajardo and K. Glimelius*

527 **Characterization of the catalase antioxidant defense gene *Cat1* of maize, and its developmentally regulated expression in transgenic tobacco.** *L. Guan and J.G. Scandalios*

537 **The 54 kDa RNA-binding protein from mustard chloroplasts mediates endonucleolytic transcript 3′ end formation *in vitro*.** *J. Nickelsen and G. Link*

545 **Homologs of the essential ubiquitin conjugating enzymes UBC1, 4, and 5 in yeast are encoded by a multigene family in *Arabidopsis thaliana*.** *P.-A. Girod, T.B. Carpenter, S. van Nocker, M.L. Sullivan and R.D. Vierstra*

553 ***Petunia hybrida* genes related to the maize regulatory *C1* gene and to animal *myb* proto-oncogenes.** *J. Avila, C. Nieto, L. Cañas, M.J. Benito and J. Paz-Ares*

563 **Salicylic acid-inducible binding of a tobacco nuclear protein to a 10 bp sequence which is highly conserved amongst stress-inducible genes.** *A.P. Goldsbrough, H. Albrecht and R. Stratford*

573 **Characterization of *GmENOD40*, a gene showing novel patterns of cell-specific expression during soybean nodule development.** *W.-C. Yang, P. Katinakis, P. Hendriks, A. Smolders, F. de Vries, J. Spee, A. van Kammen, T. Bisseling and H. Franssen*

587 **Transgenic potato plants resistant to the phytopathogenic bacterium *Erwinia carotovora*.** *K. Düring, P. Porsch, M. Fladung and H. Lörz*

599 **Expression of antisense nodulin-35 RNA in *Vigna aconitifolia* transgenic root nodules retards peroxisome development and affects nitrogen availability to the plant.** *N.-G. Lee, B. Stein, H. Suzuki and D.P.S. Verma*

607 SHORT COMMUNICATION
Hierarchical regulation of organ differentiation during embryogenesis in rice. *H. Kitano, Y. Tamura, H. Satoh and Y. Nagato*

611 SHORT COMMUNICATION
The plant homologue of MAP kinase is expressed in a cell cycle-dependent and organ-specific manner. *C. Jonak, A. Páy, L. Bögre, H. Hirt and E. Heberle-Bors*

619 SHORT COMMUNICATION
Identification of *cis* elements involved in Commelina yellow mottle virus promoter activity. *S.L. Medberry and N.E. Olszewski*

627 **Erratum concerning Volume 2, Number 6, November 1992, pages 907–915, Granell *et al.***

Number 5 May 1993

629 **Characterization of a new class of oleosins suggests a male gametophyte-specific lipid storage pathway.** *M.R. Roberts, R. Hodge, J.H.E. Ross, A. Sorensen, D.J. Murphy, J. Draper and R. Scott*

637 **Enrichment of vitronectin- and fibronectin-like proteins in NaCl-adapted plant cells and evidence for their involvement in plasma membrane-cell wall adhesion.** *J.-K. Zhu, J. Shi, U. Singh, S.E. Wyatt, R.A. Bressan, P.M. Hasegawa and N.C. Carpita*

647 **Cesium-insensitive mutants of *Arabidopsis thaliana*.** *J.J. Sheahan, L. Ribeiro-Neto and M.R. Sussman*

657 **The origin of the bifunctional dihydrofolate reductase–thymidylate synthase isogenes of *Arabidopsis thaliana*.** *G. Lazar, H. Zhang and H.M. Goodman*

669 **Isolation of a maize bZIP protein subfamily: candidates for the ocs-element transcription factor.** *R.C. Foley, C. Grossman, J.G. Ellis, D.J. Llewellyn, E.S. Dennis, W.J. Peacock and K.B. Singh*

681 **Indole-3-acetic acid homeostasis in transgenic tobacco plants expressing the *Agrobacterium rhizogenes rolB* gene.** *O. Nilsson, A. Crozier, T. Schmülling, G. Sandberg and O. Olsson*

691 **Action of a pure xyloglucan *endo*-transglycosylase (formerly called xyloglucan-specific *endo*-(1→4)-β-D-glucanase) from the cotyledons of germinated nasturtium seeds.** *C. Fanutti, M.J. Gidley and J.S.G. Reid*

701 **Molecular characterization of a xyloglucan-specific *endo*-(1→4)-β-D-glucanase (xyloglucan *endo*-transglycosylase) from nasturtium seeds.** *J. de Silva, C.D. Jarman, D.A. Arrowsmith, M.S. Stronach, S. Chengappa, C. Sidebottom and J.S.G. Reid*

713 **Modulation of mechanosensitive calcium-selective cation channels by temperature.** *J.P. Ding and B.G. Pickard*

721 **Seed-specific expression of a bacterial desensitized aspartate kinase increases the production of seed threonine and methionine in transgenic tobacco.** *H. Karchi, O. Shaul and G. Galili*

729 TECHNICAL ADVANCE
Chloroplast transformation in plants: polyethylene glycol (PEG) treatment of protoplasts is an alternative to biolistic delivery systems. *C. O'Neill, G.V. Horváth, É. Horváth, P.J. Dix and P. Medgyesy*

739 TECHNICAL ADVANCE
Construction of integrated genetic linkage maps by means of a new computer package: JoinMap. *P. Stam*

745 TECHNICAL ADVANCE
An integrated genetic/RFLP map of the *Arabidopsis thaliana* genome. *B.M. Hauge, S.M. Hanley, S. Cartinhour, J.M. Cherry, H.M. Goodman, M. Koornneef, P. Stam, C. Chang, S. Kempin, L. Medrano and E.M. Meyerowitz*

755 TECHNICAL ADVANCE
Substrate-dependent negative selection in plants using a bacterial cytosine deaminase gene. *J. Stougaard*

Number 6 June 1993

763 **Cotton fiber annexins: a potential role in the regulation of callose synthase.** *A. Andrawis, M. Solomon and D.P. Delmer*

773 **Mobility of the maize transposable element *En/Spm* in *Arabidopsis thaliana*.** *G.H. Cardon, M. Frey, H. Saedler and A. Gierl*

785 **Differential expression of the *rol*A plant oncogene and its effect on tobacco development.** *M. Carneiro and F. Vilaine*

793 **Light-regulated expression of the *Arabidopsis thaliana ferredoxin A* gene involves both transcriptional and post-transcriptional processes.** *O. Vorst, F. van Dam, P. Weisbeek and S. Smeekens*

805 **Purification and biochemical characterization of proteins which bind to the H-box *cis*-element implicated in transcriptional activation of plant defense genes.** *L.M. Yu, C.J. Lamb and R.A. Dixon*

817 **Regulation of the expression of *rbc*S and other photosynthetic genes by carbohydrates: a mechanism for the 'sink regulation' of photosynthesis?** *A. Krapp, B. Hofmann, C. Schäfer and M. Stitt*

829 **Developmentally regulated expression of the wound- and pathogen-responsive tomato anionic peroxidase in green fruits.** *B.A. Sherf and P.E. Kolattukudy*

835 **Transcription of two members of a gene family encoding phenylalanine ammonia-lyase leads to remarkably different cell specificities and induction patterns.** *D. Shufflebottom, K. Edwards, W. Schuch and M. Bevan*

847 **The *MsK* family of alfalfa protein kinase genes encodes homologues of *shaggy/glycogen synthase kinase-3* and shows differential expression patterns in plant organs and development.** *A. Pay, C. Jonak, L. Bögre, I. Meskiene, T. Mairinger, A. Szalay, E. Heberle-Bors and H. Hirt*

857 **Functional analysis and RFLP-mediated mapping of the *Mlg* resistance locus in barley.** *R. Görg, K. Hollricher and P. Schulze-Lefert*

867 **Promoter analysis of a light-regulated gene encoding hydroxypyruvate reductase, an enzyme of the photorespiratory glycolate pathway.** *J.S. Sloan, B.W. Schwartz and W.M. Becker*

875 **Altered response to viral infection by tobacco plants perturbed in ubiquitin system.** *F. Becker, E. Buschfeld, J. Schell and A. Bachmair*

883 TECHNICAL ADVANCE
Localization of vicilin genes via polymerase chain reaction on microisolated field bean chromosomes. *J. Macas, W. Weschke, H. Bäumlein, U. Pich, A. Houben, U. Wobus and I. Schubert*

887 TECHNICAL ADVANCE
A novel fingerprint method for analyzing the expression of complex multigene families of very low transcript abundance. *S. Bohl and K. Apel*

895 **Author index**

900 **Subject index**